

Article	Manufacturer / Supplier
Brand: Teddington	Name: Teddington AB
Name: Gummikompensator TED-FLEX typ TEF, (ospecificerad)	FTI recycling system: -
Description: Rubber compensator. All layers in EPDM rubber with nylon cord reinforcement. Flange material bright galvanized steel translated by Google	EMAS registration: -
Article no.:	ISO 14001 certification: -
BSAB code: PF - Pumpanordningar i anläggning	REPA-register: -
BK04: 20698 - Pump accessories	

Summary

Conditions:	Documentation incomplete, product assessment possible
Assessment:	B
Assessment explanation:	B: Information on waste management is missing. B: Incomplete documentation.
Note:	

	During the manufacturing phase	In the finished product
Phase-out substances:	-	-
Priority risk-reduction substances:	Yes (R)	-
PBT/vPvB substances:	-	-
Potential PBT/vPvB substances:	-	-
Endocrine Disrupting Substances Category 1:	-	-
Endocrine Disrupting Substances Category 2:	-	-
Environmentally hostile substances:	Yes (Y)	-
Substances hazardous to health:	Yes (H)	-

Substances hazardous to health present in the product in the range of raw materials:

Other eco-labelling:	Nanoparticles:	Presence of nanoparticles is unknown.
Energy class:		

Reported documentation

Type	Issue	Check	Status
Product Information		2013-09-16	Static
Internal Document *1	2009-05-29	2012-05-21	Manual
Internal Document *1	2009-04-17	2012-05-21	Manual

Contents

Name:	CAS no.	Amount	Classifications
shiny galvanized carbon steel (Q235)		<100 %	
(phosphorus)	7723-14-0	<0.05 %	R11, R16, R52/53
iron	7439-89-6		
silicon	7440-21-3	<0.3 %	
carbon	7440-44-0	<0.2 %	
(chromium)	R \$ 7440-47-3	<0.001 %	H300, H310, H332, H400
manganese	7439-96-5	<0.6 %	

Contents

Name:	CAS no.	Amount	Classifications
sulfur	7704-34-9	<0.05 %	
zinc	§ 7440-66-6	<7 %	
EPDM			
(ethene)	74-85-1		H220, H336
(1-propene)	115-07-1		H220
nylon 6 polymer	25038-54-4		
(hexanoic acid, 6-amino-)	60-32-2		R36/37/38

Emissions

Conforms To E0:

Conforms to E1:

Conforms To M1:

Conforms To M2:

Conforms To CARB1:

Conforms To CARB2:

EMICODE:

Energy consumption

Raw materials:

Manufacturing:

Total:

Residual products / Waste

During construction During demolition

Re-use:

Material recycling:

Energy recycling:

Landfill deposition:

EWC (European Waste Code):

Hazardous waste: - -

Portion of recycled material

Pre-consumer:

Post-consumer:

Service life

Service life:

Classification of the product

Hazard statements:

Precautionary statements

Risk phrases

Safety phrases

Corporate Social Responsibility (CSR)

CSR-policy:

Miscellaneous

Assessed: 2012-05-21 by Angelica Karlsson


Revised: 2016-10-01 by Auto Update

Miscellaneous

SHMD number: SHMD-BUJL8K8H7

Criteria: SundaHus Material Data Assessment Criteria edition 6.1.0

Explanations

(R)	At least one prioritized risk reduction substance has been used in the manufacturing phase.
R	The substance fulfills the criteria for a prioritized risk reducing substance according to the Swedish Chemicals Authority tool for substitution, PRIO.
	Substances hazardous to health present in the product during the manufacturing phase.
§	The substance is present in the restriction database.
?	Presence of nano particles unknown
(Y)	At least one environmentally hazardous substance used at construction
(substance name)	A substance name in parentheses indicates that the substance is only present during the manufacturing stage, not in the finished product.
*1	The supplier/distributor does not allow us to show this document.
H220	Extremely flammable gas.
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
R11	Highly flammable
R16	Explosive when mixed with oxidizing substances
R36/37/38	Irritating to eyes, respiratory system and skin
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment